Dredged Fill Input Parameters. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 52-61 (2005).

Design criteria

Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Dispersion

Pollutant Trapping at a Coastal Headland. — Daoyi Chen, Fu Ee Tang, and Chaoquan Chen; 131(3), 98-114 (2005).

Dredge spoil

Settlement of Dredged and Contaminated Material Placement Areas. I: Theory and Use of Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 43-51 (2005).

Settlement of Dredged and Contaminated Material Placement Areas. II: Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill Input Parameters. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 52-61 (2005).

Dredging

Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

Earthquakes

Viscous Fluid in Tank under Coupled Surge, Heave, and Pitch Motions. — Bang-Fuh Chen; 131(5), 239-56 (2005).

Economic factors

Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Entrainment

Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Environmental impacts

Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Erosion

Frequency-Size Statistics of Coastal Soft-Cliff Erosion. — Ping Dong and Fausto Guzzetti; 131(1), 37-42 (2005).

Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

Estuaries

Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Experimentation

Tsunami Generation by Submarine Mass Failure. I: Modeling, Experimental Validation, and Sensitivity Analyses. — Stéphan T. Grilli and Philip Watts; 131(6), 283-97 (2005).

Tsunami Generation by Submarine Mass Failure. II: Predictive Equations and Case Studies. — Philip Watts, Stéphan T. Grilli, David R. Tappin, and Gerard J. Fryer; 131(6), 298-310 (2005).

Failure modes

Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Finite difference method

Settlement of Dredged and Contaminated Material Placement Areas. II: Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill Input Parameters. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 52-61 (2005).

Finite element method

Settlement of Dredged and Contaminated Material Placement Areas. I: Theory and Use of Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 43-51 (2005).

Florida

Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Flow simulation

Godunov-Based Model for Nonhydrostatic Wave Dynamics. — Scott F. Bradford; 131(5), 226-38 (2005).

Fluid-structure interaction

Evaluation of Two Numerical Wave Models with Inlet Physical Model. — Lihwa Lin and Zeki Demirbilek; 131(4), 149-61 (2005).

Flumes

Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (2005).

Flushing

Pollutant Trapping at a Coastal Headland. — Daoyi Chen, Fu Ee Tang, and Chaoquan Chen; 131(3), 98-114 (2005).

Forecasting

Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (2005).

Functional analysis

Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Germany

Reducing Harbor Siltation. I: Methodology. — J. C. Winterwerp; 131(6), 258-66 (2005).

Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Ground motion

Synthetic Tropical Cyclone Database. — M. K. James and L. B. Mason; 131(4), 181-92 (2005).

Harbors

Modeling Storm-Induced Current Circulation and Sediment Transport in a Schematic Harbor. — Ji-Fu Zhou and Jia-Chun Li; 131(1), 25-32 (2005).

Reducing Harbor Siltation. I: Methodology. — J. C. Winterwerp; 131(6), 258-66 (2005).

Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Hurricanes

Synthetic Tropical Cyclone Database. — M. K. James and L. B. Mason; 131(4), 181-92 (2005).

Hydraulic models

Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Hydraulic properties

Wave Propagation in Channel with Side Porous Caves. — Wojciech Sulisz; 131(4), 162-70 (2005).

Hydraulic structures

Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (2005).

Hydrodynamic pressure

Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Hydrodynamics

Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Viscous Fluid in Tank under Coupled Surge, Heave, and Pitch Motions. — Bang-Fuh Chen; 131(5), 239-56 (2005).

Hydrologic models

Evaluation of Two Numerical Wave Models with Inlet Physical Model. — Lihwa Lin and Zeki Demirbilek; 131(4), 149-61 (2005).

Hydrostatics

Godunov-Based Model for Nonhydrostatic Wave Dynamics. — Scott F. Bradford; 131(5), 226-38 (2005).

Inland waterways

Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).

Inlets, waterways

Evaluation of Two Numerical Wave Models with Inlet Physical Model. — Lihwa Lin and Zeki Demirbilek; 131(4), 149-61 (2005).

Japan

Influence of Artificial Topographical Transformation on the Tide in the Seto Inland Sea, Japan. — Miyuki Yoshida and Yoshio Takasugi; 131(2), 62-8 (2005).

Lakes

Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Landslides

Tsunami Generation by Submarine Mass Failure. I: Modeling, Experimental Validation, and Sensitivity Analyses. — Stéphan T. Grilli and Philip Watts; 131(6), 283-97 (2005).

Tsunami Generation by Submarine Mass Failure. II: Predictive Equations and Case Studies. — Philip Watts, Stéphan T. Grilli, David R. Tappin, and Gerard J. Fryer; 131(6), 298-310 (2005).

Limit states

Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Locks

Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).

Mathematical models
Synthetic Tropical Cyclone Database. — M. K. James and L. B. Mason; 131(4), 181-92 (2005).

Mines
Scour Around Spherical Bodies and Self-Burial. — Christoffer Truelsen, B. Mutlu Sumer, and Jørgen Fredsøe; 131(1), 1-13 (2005).

Mooring
Influence of Loading Condition on the Behavior of a Moored Liquefied Natural Gas Ship. — W. van der Molen and H. Ligteringen; 131(1), 33-6 (2005).

Neural networks
Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (2005).

Nonlinear analysis
Viscous Fluid in Tank under Coupled Surge, Heave, and Pitch Motions. — Bang-Fuh Chen; 131(5), 239-56 (2005).

Numerical models
Modeling of Flow Around a Cylinder Over a Scoured Bed. — Heather D. Smith and Diane L. Foster; 131(1), 14-24 (2005).
Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).
Wave Propagation in Channel with Side Porous Caves. — Wojciech Sulisz; 131(4), 162-70 (2005).
Numerical Model for Wave-Induced Scour below a Submarine Pipeline. — Dongfang Liang and Liang Cheng; 131(5), 193-202 (2005).
Godunov-Based Model for Nonhydrostatic Wave Dynamics. — Scott F. Bradford; 131(5), 226-38 (2005).

Ocean waves
Spatial Significant Wave Height Variation Assessment and Its Estimation. — Abdüsselam Altunkaynak and Mehmet Özger; 131(6), 277-82 (2005).

Open channel flow
Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (2005).

Optimization models
Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).

Oscillation
Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Parameters
Settlement of Dredged and Contaminated Material Placement Areas. II: Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill Input Parameters. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 52-61 (2005).

Permeability
Diffraction of Water Waves by a Segmented Permeable Breakwater. — P. McIver; 131(2), 69-76 (2005).

Pipelines
Modeling of Flow Around a Cylinder Over a Scoured Bed. — Heather D. Smith and Diane L. Foster; 131(1), 14-24 (2005).

Porous media
Wave Propagation in Channel with Side Porous Caves. — Wojciech Sulisz; 131(4), 162-70 (2005).

Pressures
Synthetic Tropical Cyclone Database. — M. K. James and L. B. Mason; 131(4), 181-92 (2005).

Project evaluation
Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).

Protective structures
Scour Around Spherical Bodies and Self-Burial. — Christoffer Truelsen, B. Mutlu Sumer, and Jørgen Fredsøe; 131(1), 1-13 (2005).

Radar
Comparison of Wave Spectra from Nautical Radar Images and Scalar Buoy Data. — P. Izquierdo, J. C. Nieto Borge, C. Guedes Soares, R. Sanz González, and G. R. Rodríguez; 131(3), 123-31 (2005).

Recirculation
Pollutant Trapping at a Coastal Headland. — Daoyi Chen, Fu Ee Tang, and Chaoquan Chen; 131(3), 98-114 (2005).

Reclamation
Influence of Artificial Topographical Transformation on the Tide in the Seto Inland Sea, Japan. — Miyuki Yoshida and Yoshio Takasugi; 131(2), 62-8 (2005).

Reynolds stress
Reynolds Stresses and Velocity Distributions in a Wave-Current Coexisting Environment. — Motohiko Umeyama; 131(5), 203-12 (2005).

Salt water intrusion
Reducing Harbor Siltation. I: Methodology. — J. C. Winterwerp; 131(6), 258-66 (2005).
Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Sand
Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

Scattering
Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Scheduling
Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).

Scour
Scour Around Spherical Bodies and Self-Burial. — Christoffer Truelsen, B. Mutlu Sumer, and Jørgen Fredsøe; 131(1), 1-13 (2005).
Modeling of Flow Around a Cylinder Over a Scoured Bed. — Heather D. Smith and Diane L. Foster; 131(1), 14-24 (2005).
Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).
Numerical Model for Wave-Induced Scour below a Submarine Pipeline. — Dongfang Liang and Liang Cheng; 131(5), 193-202 (2005).

Sea walls
Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Sediment
Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Sediment transfer
Reynolds Stresses and Velocity Distributions in a Wave-Current Coexisting Environment. — Motohiko Umeyama; 131(5), 203-12 (2005).

Sediment transport
Modeling Storm-Induced Current Circulation and Sediment Transport in a Schematic Harbor. — Ji-Fu Zhou and Jia-Chun Li; 131(1), 25-32 (2005).
Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (2005).
Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Sedimentation
Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Sensitivity analysis
Tsunami Generation by Submarine Mass Failure. I: Modeling, Experimental Validation, and Sensitivity Analyses. — Stéphan T. Grilli and Philip Watts; 131(6), 283-97 (2005).

Settlement
Settlement of Dredged and Contaminated Material Placement Areas. I: Theory and Use of Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 43-51 (2005).

Shallow waters
Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Ships
Influence of Loading Condition on the Behavior of a Moored Liquefied Natural Gas Ship. — W. van der Molen and H. Ligteringen; 131(1), 33-6 (2005).

Silts
Reducing Harbor Siltation. I: Methodology. — J. C. Winterwerp; 131(6), 258-66 (2005).
Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Simulation
Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).
Tsunami Generation by Submarine Mass Failure. I: Modeling, Experimental Validation, and Sensitivity Analyses. — Stéphan T. Grilli and Philip Watts; 131(6), 283-97 (2005).
Tsunami Generation by Submarine Mass Failure.

II: Predictive Equations and Case Studies. — Philip Watts, Stéphan T. Grilli, David R. Tappin, and Gerard J. Fryer; 131(6), 298-310 (2005).

Siphons

Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

Social factors

Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Spatial analysis

Spatial Significant Wave Height Variation Assessment and Its Estimation. — Abdüsselam Altunkaynak and Mehmet Özger; 131(6), 277-82 (2005).

Spectral analysis

Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Statistics

Frequency-Size Statistics of Coastal Soft-Cliff Erosion. — Ping Dong and Fausto Guzzetti; 131(1), 37-42 (2005).

Steady flow

Modeling of Flow Around a Cylinder Over a Scoured Bed. — Heather D. Smith and Diane L. Foster; 131(1), 14-24 (2005).

Pollutant Trapping at a Coastal Headland. — Daoyi Chen, Fu Ee Tang, and Chaoquan Chen; 131(3), 98-114 (2005).

Storm surges

Modeling Storm-Induced Current Circulation and Sediment Transport in a Schematic Harbor. — Ji-Fu Zhou and Jia-Chun Li; 131(1), 25-32 (2005).

Structural reliability

Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Submarine pipelines

Numerical Model for Wave-Induced Scour below a Submarine Pipeline. — Dongfang Liang and Liang Cheng; 131(5), 193-202 (2005).

Submerging

Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (2005).

Suction

Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

Surface waves

Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Surge

Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (2005).

Taiwan

Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (2005).

Tanks

Viscous Fluid in Tank under Coupled Surge, Heave, and Pitch Motions. — Bang-Fuh Chen; 131(5), 239-56 (2005).

Three-dimensional models

Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Tidal water

Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (2005).

Tides

Influence of Artificial Topographical Transformation on the Tide in the Seto Inland Sea, Japan. — Miyuki Yoshida and Yoshio Takasugi; 131(2), 62-8 (2005).

Topography

Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Transformation

Influence of Artificial Topographical Transformation on the Tide in the Seto Inland Sea, Japan. — Miyuki Yoshida and Yoshio Takasugi; 131(2), 62-8 (2005).

Transportation models

Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).

Tsunamis

Tsunami Generation by Submarine Mass Failure. I: Modeling, Experimental Validation, and Sensitivity Analyses. — Stéphan T. Grilli and Philip Watts; 131(6), 283-97 (2005).

Tsunami Generation by Submarine Mass Failure. II: Predictive Equations and Case Studies. — Philip Watts, Stéphan T. Grilli, David R. Tappin, and Gerard J. Fryer; 131(6), 298-310 (2005).

Turbulent flow

Modeling of Flow Around a Cylinder Over a Scoured Bed. — Heather D. Smith and Diane L. Foster; 131(1), 14-24 (2005).

Typhoons

Modeling Storm-Induced Current Circulation and Sediment Transport in a Schematic Harbor. — Ji-Fu Zhou and Jia-Chun Li; 131(1), 25-32 (2005).

Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (2005).

Vanes

Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (2005).

Velocity

Reynolds Stresses and Velocity Distributions in a Wave-Current Coexisting Environment. — Motohiko Umeyama; 131(5), 203-12 (2005).

Wastewater management

Pollutant Trapping at a Coastal Headland. — Daoyi Chen, Fu Ee Tang, and Chaoquan Chen; 131(3), 98-114 (2005).

Water circulation

Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Water levels

Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Water waves

Diffraction of Water Waves by a Segmented Permeable Breakwater. — P. McIver; 131(2), 69-76 (2005).

Wave action

Evaluation of Two Numerical Wave Models with Inlet Physical Model. — Lihwa Lin and Zeki Demirbilek; 131(4), 149-61 (2005).

Wave climatology

Spatial Significant Wave Height Variation Assessment and Its Estimation. — Abdüsselam Altunkaynak and Mehmet Özger; 131(6), 277-82 (2005).

Wave diffraction

Diffraction of Water Waves by a Segmented Permeable Breakwater. — P. McIver; 131(2), 69-76 (2005).

Wave energy

Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Spatial Significant Wave Height Variation Assessment and Its Estimation. — Abdüsselam Altunkaynak and Mehmet Özger; 131(6), 277-82 (2005).

Wave forces

Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Wave generation

Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Wave height

Spatial Significant Wave Height Variation Assessment and Its Estimation. — Abdüsselam Altunkaynak and Mehmet Özger; 131(6), 277-82 (2005).

Wave measurement

Comparison of Wave Spectra from Nautical Radar Images and Scalar Buoy Data. — P. Izquierdo, J. C. Nieto Borge, C. Guedes Soares, R. Sanz González, and G. R. Rodríguez; 131(3), 123-31 (2005).

Evaluation of Two Numerical Wave Models with Inlet Physical Model. — Lihwa Lin and Zeki Demirbilek; 131(4), 149-61 (2005).

Wave pressure

Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Wave propagation

Godunov-Based Model for Nonhydrostatic Wave Dynamics. — Scott F. Bradford; 131(5), 226-38 (2005).

Wave reflection

Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Wave spectra
Comparison of Wave Spectra from Nautical Radar Images and Scalar Buoy Data. — P. Izquierdo, J. C. Nieto Borge, C. Guedes Soares, R. Sanz González, and G. R. Rodríguez; 131(3), 123-31 (2005).
Evaluation of Two Numerical Wave Models with Inlet Physical Model. — Lihwa Lin and Zeki Demirbilek; 131(4), 149-61 (2005).
Waves
Influence of Loading Condition on the Behavior of a Moored Liquefied Natural Gas Ship. — W. van der Molen and H. Ligteringen; 131(1), 33-6 (2005).
Numerical Model for Wave-Induced Scour below a Submarine Pipeline. — Dongfang Liang and Liang Cheng; 131(5), 193-202 (2005).
Reynolds Stresses and Velocity Distributions in a Wave-Current Coexisting Environment. — Motohiko Umeyama; 131(5), 203-12 (2005).
Weighing devices
Spatial Significant Wave Height Variation Assessment and Its Estimation. — Abdüsselam Altunkaynak and Mehmet Özger; 131(6), 277-82 (2005).
Wind waves
Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Author Index

Altunkaynak, Abdüsselam
Spatial Significant Wave Height Variation Assessment and Its Estimation. — Abdüsselam Altunkaynak and Mehmet Özger; 131(6), 277-82 (2005).

Ardhuin, F.
Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Benedicto, M. Izaskun
Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Bradford, Scott F.
Godunov-Based Model for Nonhydrostatic Wave Dynamics. — Scott F. Bradford; 131(5), 226-38 (2005).

Chen, Bang-Fuh
Viscous Fluid in Tank under Coupled Surge, Heave, and Pitch Motions. — Bang-Fuh Chen; 131(5), 239-56 (2005).

Chen, Chaoquan
Pollutant Trapping at a Coastal Headland. — Daoyi Chen, Fu Ee Tang, and Chaoquan Chen; 131(3), 98-114 (2005).

Chen, Daoyi
Pollutant Trapping at a Coastal Headland. — Daoyi Chen, Fu Ee Tang, and Chaoquan Chen; 131(3), 98-114 (2005).

Chen, Qin
Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Cheng, Liang
Numerical Model for Wave-Induced Scour below a Submarine Pipeline. — Dongfang Liang and Liang Cheng; 131(5), 193-202 (2005).

Choi, Hangseok
Settlement of Dredged and Contaminated Material Placement Areas. I: Theory and Use of Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 43-51 (2005).
Settlement of Dredged and Contaminated Material Placement Areas. II: Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill Input Parameters. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 52-61 (2005).

Christiansen, H.
Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Cornelisse, J. M.
Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Demirbilek, Zeki
Evaluation of Two Numerical Wave Models with Inlet Physical Model. — Lihwa Lin and Zeki Demirbilek; 131(4), 149-61 (2005).
Changing Hands. — Zeki Demirbilek; 131(6), 257 (2005).

Dong, Ping
Frequency-Size Statistics of Coastal Soft-Cliff Erosion. — Ping Dong and Fausto Guzzetti; 131(1), 37-42 (T) (2005).

Douglass, Scott L.
Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Foster, Diane L.
Modeling of Flow Around a Cylinder Over a Scoured Bed. — Heather D. Smith and Diane L. Foster; 131(1), 14-24 (2005).

Fredsøe, Jørgen
Scour Around Spherical Bodies and Self-Burial. — Christoffer Truelsen, B. Mutlu Sumer, and Jørgen Fredsøe; 131(1), 1-13 (2005).

Fryer, Gerard J.
Tsunami Generation by Submarine Mass Failure. II: Predictive Equations and Case Studies. — Philip Watts, Stéphan T. Grilli, David R. Tappin, and Gerard J. Fryer; 131(6), 298-310 (2005).

Grilli, Stéphan T.
Tsunami Generation by Submarine Mass Failure. I: Modeling, Experimental Validation, and Sensitivity Analyses. — Stéphan T. Grilli and Philip Watts; 131(6), 283-97 (2005).
Tsunami Generation by Submarine Mass Failure. II: Predictive Equations and Case Studies. — Philip Watts, Stéphan T. Grilli, David R. Tappin, and Gerard J. Fryer; 131(6), 298-310 (2005).

Guedes Soares, C.
Comparison of Wave Spectra from Nautical Radar Images and Scalar Buoy Data. — P. Izquierdo, J. C. Nieto Borge, C. Guedes Soares, R. Sanz González, and G. R. Rodríguez; 131(3), 123-31 (2005).

Guzzetti, Fausto
Frequency-Size Statistics of Coastal Soft-Cliff Erosion. — Ping Dong and Fausto Guzzetti; 131(1), 37-42 (T) (2005).

Hedges, T. S.
Discussion of "Modeling Dredging Project Cost Variations" by Trefor P. Williams. — T. S. Hedges; 131(2), 85-7 (2005).

Herbers, T. H. C.
Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Hu, Kelin
Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Izquierdo, P.
Comparison of Wave Spectra from Nautical Radar Images and Scalar Buoy Data. — P. Izquierdo, J. C. Nieto Borge, C. Guedes Soares, R. Sanz González, and G. R. Rodríguez; 131(3), 123-31 (2005).

James, M. K.
Synthetic Tropical Cyclone Database. — M. K. James and L. B. Mason; 131(4), 181-92 (2005).

Jeng, D.-S.
Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (T) (2005).

Ji, Zhen-Gang
Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Jin, Kang-Ren
Application and Validation of Three-Dimensional Model in a Shallow Lake. — Kang-Ren Jin and Zhen-Gang Ji; 131(5), 213-25 (2005).

Kuijper, C.
Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Lee, T. L.
Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (T) (2005).

Li, Jia-Chun
Modeling Storm-Induced Current Circulation and Sediment Transport in a Schematic Harbor. — Ji-Fu Zhou and Jia-Chun Li; 131(1), 25-32 (2005).

Liang, Dongfang
Numerical Model for Wave-Induced Scour below a Submarine Pipeline. — Dongfang Liang and Liang Cheng; 131(5), 193-202 (2005).

Ligteringen, H.
Influence of Loading Condition on the Behavior of a Moored Liquefied Natural Gas Ship. — W. van der Molen and H. Ligteringen; 131(1), 33-6 (T) (2005).

Lim, Siow-Yong
Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (T) (2005).

Lin, Lihwa
Evaluation of Two Numerical Wave Models with Inlet Physical Model. — Lihwa Lin and Zeki Demirbilek; 131(4), 149-61 (2005).

Losada, Miguel A.
Target Design Levels for Maritime Structures. — Miguel A. Losada and M. Izaskun Benedicto; 131(4), 171-80 (2005).

Magne, R.
Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Mason, L. B.
Synthetic Tropical Cyclone Database. — M. K. James and L. B. Mason; 131(4), 181-92 (2005).

Mazurek, K. A.
Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

McIver, P.
Diffraction of Water Waves by a Segmented Permeable Breakwater. — P. McIver; 131(2), 69-76 (2005).

Morang, Andrew, Reviewer
Review of *Coasts: Form, Process, and Evolution* by Colin D. Woodroffe. — Andrew Morang, Reviewer; 131(2), 88 (B) (2005).

Neelamani, S.
Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Nieto Borge, J. C.
Comparison of Wave Spectra from Nautical Radar Images and Scalar Buoy Data. — P. Izquierdo, J. C. Nieto Borge, C. Guedes Soares, R. Sanz González, and G. R. Rodríguez; 131(3), 123-31 (2005).

Ong, Muk-Chen
Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (T) (2005).

Özger, Mehmet
Spatial Significant Wave Height Variation Assessment and Its Estimation. — Abdüsselam Altunkaynak and Mehmet Özger; 131(6), 277-82 (2005).

Rajaratnam, N.
Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

Rajasekaran, S.
Tidal Level Forecasting during Typhoon Surge Using Functional and Sequential Learning Neural Networks. — S. Rajasekaran, T. L. Lee, and D.-S. Jeng; 131(6), 321-4 (T) (2005).

Reitsma, S.
Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

Rey, V.
Topographical Scattering of Waves: Spectral Approach. — R. Magne, F. Ardhuin, V. Rey, and T. H. C. Herbers; 131(6), 311-20 (2005).

Rodríguez, G. R.
Comparison of Wave Spectra from Nautical Radar Images and Scalar Buoy Data. — P. Izquierdo, J. C. Nieto Borge, C. Guedes Soares, R. Sanz González, and G. R. Rodríguez; 131(3), 123-31 (2005).

Sanz González, R.
Comparison of Wave Spectra from Nautical Radar Images and Scalar Buoy Data. — P. Izquierdo, J. C. Nieto Borge, C. Guedes Soares, R. Sanz González, and G. R. Rodríguez; 131(3), 123-31 (2005).

Sato, Michio
Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Schonfeld, Paul
Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).

Schroeder, Paul R.
Settlement of Dredged and Contaminated Material Placement Areas. I: Theory and Use of Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 43-51 (2005).
Settlement of Dredged and Contaminated Material Placement Areas. II: Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill Input Parameters. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 52-61 (2005).

Smith, Heather D.
Modeling of Flow Around a Cylinder Over a Scoured Bed. — Heather D. Smith and Diane L. Foster; 131(1), 14-24 (2005).

Stark, Timothy D.
Settlement of Dredged and Contaminated Material Placement Areas. I: Theory and Use of Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 43-51 (2005).
Settlement of Dredged and Contaminated Material Placement Areas. II: Primary Consolidation, Secondary Compression, and Desiccation of Dredged Fill Input Parameters. — Timothy D. Stark, Hangseok Choi, and Paul R. Schroeder; 131(2), 52-61 (2005).

Sulisz, Wojciech
Wave Propagation in Channel with Side Porous Caves. — Wojciech Sulisz; 131(4), 162-70 (2005).

Sumer, B. Mutlu
Scour Around Spherical Bodies and Self-Burial. — Christoffer Truelsen, B. Mutlu Sumer, and Jørgen Fredsøe; 131(1), 1-13 (2005).

Takasugi, Yoshio
Influence of Artificial Topographical Transformation on the Tide in the Seto Inland Sea, Japan. — Miyuki Yoshida and Yoshio Takasugi; 131(2), 62-8 (2005).

Tan, Soon-Keat
Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (T) (2005).

Tang, Fu Ee
Pollutant Trapping at a Coastal Headland. — Daoyi Chen, Fu Ee Tang, and Chaoquan Chen; 131(3), 98-114 (2005).

Tappin, David R.
Tsunami Generation by Submarine Mass Failure. II: Predictive Equations and Case Studies. — Philip Watts, Stéphan T. Grilli, David R. Tappin, and Gerard J. Fryer; 131(6), 298-310 (2005).

Thiruvenkatasamy, K.
Nonbreaking Wave Forces on Multiresonant Oscillating Water Column Wave Power Caisson Breakwater. — K. Thiruvenkatasamy, S. Neelamani, and Michio Sato; 131(2), 77-84 (2005).

Truelsen, Christoffer
Scour Around Spherical Bodies and Self-Burial. — Christoffer Truelsen, B. Mutlu Sumer, and Jørgen Fredsøe; 131(1), 1-13 (2005).

Ullah, S. M.
Siphon Removal of Cohesionless Materials. — S. M. Ullah, K. A. Mazurek, N. Rajaratnam, and S. Reitsma; 131(3), 115-22 (2005).

Umeyama, Motohiko
Reynolds Stresses and Velocity Distributions in a Wave-Current Coexisting Environment. — Motohiko Umeyama; 131(5), 203-12 (2005).

van der Molen, W.
Influence of Loading Condition on the Behavior of a Moored Liquefied Natural Gas Ship. — W. van der Molen and H. Ligteringen; 131(1), 33-6 (T) (2005).

Wang, Shiaau-Lir
Scheduling Interdependent Waterway Projects through Simulation and Genetic Optimization. — Shiaau-Lir Wang and Paul Schonfeld; 131(3), 89-97 (2005).

Watts, Philip
Tsunami Generation by Submarine Mass Failure. I: Modeling, Experimental Validation, and Sensitivity Analyses. — Stéphan T. Grilli and Philip Watts; 131(6), 283-97 (2005).
Tsunami Generation by Submarine Mass Failure. II: Predictive Equations and Case Studies. — Philip Watts, Stéphan T. Grilli, David R. Tappin, and Gerard J. Fryer; 131(6), 298-310 (2005).

Williams, Trefor P.
Closure to "Modeling Dredging Project Cost Variations" by Trefor P. Williams. — Trefor P. Williams; 131(2), 87 (2005).

Winterwerp, J. C.
Reducing Harbor Siltation. I: Methodology. — J. C. Winterwerp; 131(6), 258-66 (2005).
Reducing Harbor Siltation. II: Case Study of Parkhafen in Hamburg. — C. Kuijper, H. Christiansen, J. M. Cornelisse, and J. C. Winterwerp; 131(6), 267-76 (2005).

Yoshida, Miyuki
Influence of Artificial Topographical Transformation on the Tide in the Seto Inland Sea, Japan. — Miyuki Yoshida and Yoshio Takasugi; 131(2), 62-8 (2005).

Yu, Guoliang
Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. — Soon-Keat Tan, Guoliang Yu, Siow-Yong Lim, and Muk-Chen Ong; 131(3), 132-6 (T) (2005).

Zhao, Haihong
Prediction of Wind Waves in a Shallow Estuary. — Qin Chen, Haihong Zhao, Kelin Hu, and Scott L. Douglass; 131(4), 137-48 (2005).

Zhou, Ji-Fu
Modeling Storm-Induced Current Circulation and Sediment Transport in a Schematic Harbor. — Ji-Fu Zhou and Jia-Chun Li; 131(1), 25-32 (2005).